

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

10A Limescale Remover

Revision: 1

Revision date: 05/05/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name 10A Limescale Remover

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);

1.3 Details of the supplier of the safety data sheet

Ionic Products Ltd Company

Address Blaris Industrial Estate, Altona Road, Lisburn, Co Antrim

> BT27 5QB United Kingdom

Web www.ionicproductsltd.com

Telephone 028 9267 3331

Info@ionicproductsItd.com Email:

1.4 Emergency telephone number

Emergency telephone

028 9267 3331. In the event of a medical enquiry involving this product, please contact your GP or local A&E dept.

Ireland: National Poisons Centre, Beaumont Hospital, Dublin 9 Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)

Tel: 01 809 2566 (health care professionals)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.2 Classification - EC

Skin Corr. 1B: H314; STOT SE 3: H335;

1272/2008

number

2.2 Label elements

Hazard pictograms





Signal Word

Hazard Statement

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

Precautionary Statement:

Prevention

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Precautionary Statement:

Response

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 -Immediately call a POISON CENTER/doctor/. P363 - Wash contaminated clothing before reuse.

Precautionary Statement Storage P405 - Store locked up.

Precautionary Statement: Disposal

P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous

Further information

Contains: hydrochloric acid.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

EC 1272/2008

Print date: 02/07/2020 10A Limescale Remover Revision: 1 Page: 1/6

Chemical name	Index No.	CAS No.	EC No.	REACH	Conc	Classification
				registration	(%w/w)	
				Number		
Hydrochloric acid	017-002-01	7647-01-0	231-595-7	01-2119484862-27	10-20	Skin Corr. 1B: H314; STOT SE 3: H335:
						3101 3E 3. H333,
Orthophosphoric acid	015-011-00-6	7664-38-2	231-633-2	01-2119485924-00	1-10	Skin Corr. 1B: H314;

SECTION 4: First aid measures

4.1 Description of first aid measures

zooop.io oo. a.aoo		
Inhalation	Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.	
Eye contact	Causes burns. Causes severe inflammation and may damage the cornea. Wash with water. Seek medical attention.	
Skin contact	Causes burns. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.	
Ingestion	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.	

4.2 Most important symptoms and effects, both acute and delayed

Inhalation	Irritant, Severe respiratory.
Eye contact	Causes severe burns.
Skin contact	Causes severe burns.
Ingestion	Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

Corrosive. Burning produces irritating, toxic and obnoxious fumes.

5.3 Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment.

6.2 Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe

6.3 Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best manual handling considerations when handling, carrying and dispensing.

7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. For incompatibilities refer to section 10.4.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.1.1 Exposure Limit Values - UK

	WEL 8-hr limit mg/m3: 2		
Hydrochloric acid	WEL 8-hr limit ppm: 1		
	WEL 15 min limit mg/m3: 8		

Print date: 02/07/2020

Page: 2/6

	WEL 15 min limit ppm: 5
	WEL 8-hr limit mg/m3: 1
Orthophosphoric acid	WEL 15 min limit mg/m3: 2

8.1.1 Occupational Exposure Limits Values (OELVs) - Ireland

I hadrook losis osid	Occupational Exposure Limit Value (8-hour reference period)	5 ppm 8 mg/m3
Hydrochloric acid	Occupational Exposure Limit Value (15-minute reference period)	10 ppm 15 mg/m3
	Occupational Exposure Limit Value (8-hour reference period)	1 mg/m3
	Occupational Exposure Limit Value (15-minute reference period)	2 mg/m3

DNEL: Derived no-effect level.

Exposure Pattern - Worker	ers	
	Long-term - inhalation - Local effects 2.92 mg/m ³	
Orthophosphoric acid		

Exposure Pattern - General population

Expedition attenti Contra	· population	
	Long-term - inhalation - Local effects	0.73 mg/m³
Orthophosphoric acid		

8.2 Exposure controls



Adopt best Manual Handling considerations when handling, carrying and dispensing. Take off immediately all contaminated clothing. Avoid contact with skin and eyes. Wash hands after handling the product.

8.2.1 Appropriate engineering controls 8.2.2 Individual protection

Ensure adequate ventilation of the working area.

measures Eye / face protection Skin protection -

Respiratory protection

Hand protection

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605)

Safety glasses. (EN166)

Chemical resistant gloves (PVC). (EN 374)

If exposure to liquid particles or splashes cannot be avoided use: half mask (EN 140) with particle filter P2 (EN 143) or full-face mask (EN 136) with particle filter P1 (EN 143) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen. Specific applications tools may be available to limit exposure. Please refer to the technical information sheet for the possibilities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Liquid Colour Red **Odour** Characteristic **pH** <1.0 Melting point Not determined Freezing Point Not determined Initial boiling point Not determined Flash point Not determined Evaporation rate Not determined Flammability (solid, gas) Not applicable to liquids Fat Solubility Not determined Partition coefficient Not determined Autoignition temperature Not determined Viscosity <100 cp @20°C

Print date: 02/07/2020

Page: 3/6

Explosive properties
Oxidising properties
Solubility
Vapour pressure
Not explosive
Not oxidising
Soluble in water
Not determined

9.2 Other information

Conductivity
Surface tension
Specific gravity
1.09 g/cm³

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No other adverse effects known.

10.4 Conditions to avoid

Avoid contact with: Alkalis, Chlorine-based bleaching agents

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Skin corrosion/irritation
Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity

Causes burns.

No mutagenic effects reported

No carcinogenic effects reported. No observed effect level.

11.1.4 Toxicological Information

	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50 NDA	
Hydrochloric acid	Oral Rat LD50: 900 mg/kg	Oral Mouse LD50: NDA	
	Dermal Rabbit LD50: > 5010 mg/kg	Dermal Guinea Pig LD50 NDA	
	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50: NDA	
Orthophosphoric acid	Oral Rat LD50: NDA	Oral Mouse LD50 NDA	
	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50: NDA	

SECTION 12: Ecological information

12.1 Toxicity

Daphnia EC50/48h:

0.4920 mg/l

Hydrochloric acid

Lepomis_Macrochirus LC50/96h: 24.6 mg/l

Algae IC50/72h: 0.78 mg/l

Algae EC50/72h: NDA

Orthophosphoric acid

Guppy LC50/96h: NDA

Daphnia LC50/48h: NDA

12.2 Persistence and degradability

No data is available on this product.

12.3 Bioaccumulative potential

No data is available on this product.

Partition coefficient

No data is available on this product.

12.4 Mobility in soil

No data is available on this product.

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

Print date: 02/07/2020

Page: 4/6

General information

	Dispose of in compliance with all local and national regulations.
Disposal of packaging	
	Dispose of in compliance with all local and national regulations. Empty containers can be cleaned with water.

Further information

European Waste Catalogue: 20 01 14 acids.

SECTION 14: Transport information

Hazard pictograms



14.1 UN number

UN1760

14.2 UN proper shipping name

CORROSIVE LIQUID, N.O.S. (PHOSPHORIC & HYDROCHLORIC ACID)

14.3 Transport hazard class(es)

•	
ADR/RID	8
Subsidiary risk]-
IMDG	8
Subsidiary risk]-
IATA	8
Subsidiary risk	<u> -</u>

14.4 Packing group

Packing group

14.5 Environmental hazards

Environmental hazards	No
Marine pollutant	No

ADR/RID

Hazard ID	80
Tunnel Category	E

IMDG

EmS Code F-A-S-B

IATA

Packing Instruction	856
(Cargo)	
Maximum quantity	30L
Packing Instruction	852
(Passenger)	
Maximum quantity	5L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations: Regulation(EC)No.1907/2006 - REACH Regulation(EC)No1272/2008 - CLP

PBT: Persistent, bioaccumulative and toxic.

• Regulation(EC)No.648/2004 - Detergents regulation

Ingredients according to EC Detergents Regulation 648/2004 Non-ionic surfactants 0% - < 5%

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture.

SECTION 16: Other information

Other information		
Revision	This document differs from the previous version in the following areas:.	
	Changes to sections 1, 3, 8, 9, 11, 12, 15	
Acronyms	LC: Lethal concentration.	
•	LD: Lethal dose.	
	NDA - No data available.	
	NOAEC: No observed adverse effect concentration.	
	NOAEL: No observed adverse effect level.	
	NOEC: No observed effect concentration.	
	NOFL: No observed effect level	

Print date: 02/07/2020

10A Limescale Remover Revision: 1 Page: 5/6

	SVHC. Substance of very high concern.
	vPvB. Very persistent and very bioaccumulative.
	*R01 - Polymer REACH number not available.
Text of Hazard Statements	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
in Section 3	Skin Irrit. 2: H315 - Causes skin irritation.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	STOT SE 3: H335 - May cause respiratory irritation

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

Internal ref: F000043

Print date: 02/07/2020

Page: 6/6