

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

10C Tannin Remover

Revision: 1

Revision date: 21/07/2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name 10C Tannin Remover

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);

1.3 Details of the supplier of the safety data sheet

Ionic Products Ltd Company

Address Blaris Industrial Estate, Altona Road, Lisburn, Co Antrim

> BT27 5QB United Kingdom

Web www.ionicproductsltd.com

Telephone 028 9267 3331

Info@ionicproductsItd.com Email:

1.4 Emergency telephone number

028 9267 3331. In the event of a medical enquiry involving this product, please contact your GP or local A&E dept. **Emergency telephone**

Ireland: National Poisons Centre, Beaumont Hospital, Dublin 9 Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)

Tel: 01 809 2566 (health care professionals)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.2 Classification - EC	2.1.2	Classification - E	EC
---------------------------	-------	--------------------	----

1272/2008

number

Skin Corr. 1A: H314;

2.2 Label elements

Hazard pictograms



Signal Word

Hazard Statement

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement:

Prevention

Response

Precautionary Statement:

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 -Immediately call a POISON CENTER/doctor/ .

P363 - Wash contaminated clothing before reuse.

Precautionary Statement Storage P405 - Store locked up.

Precautionary Statement: Disposal

P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous

Further information

Contains:. disodium metasilcate.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

EC 1272/2008

10C Tannin Remover Revision: 1 Page: 1/6

Chemical name	Index No.	CAS No.	EC No.	REACH registration	Conc (%w/w)	Classification
				Number		
Sodium carbonate	011-005-00-2	497-19-8	207-838-8	01-2119485498-19	30-40%	Eye Irrit. 2: H319
						UX. 30I. 2. 11212,
Sodium percarbonate		15630-89-4	239-707-6	01-2119457268-30		Acute Tox. 4: H302;
						Fve Dam 1: H318:
Disodium metasilicate	014-010-00-8	6834-92-0	229-912-9	01-2119449811-37	1_10%	Skin Corr. 1B: H314;
				• • • • • • • • • • • • • • • • • • • •		STOT SE 3: H335
Birdina (and brown) I had a stable I had					0.407	Asp. Tox. 1 (H304)
Distillates (petroleum), hydrotreated light	649-422-00-2	64742-47-8	265-149-8	01-2119456620-43	0-1%	EUH066

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation	Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Causes burns. Causes severe inflammation and may damage the cornea. Wash with water. Seek medical attention.
Skin contact	Causes burns. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation	Irritant, Severe respiratory.
Eye contact	Causes severe burns.
Skin contact	Causes severe burns.
Ingestion	Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

Corrosive. Burning produces irritating, toxic and obnoxious fumes.

5.3 Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment.

6.2 Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3 Methods and material for containment and cleaning up

Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best manual handling considerations when handling, carrying and dispensing.

7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. For incompatibilities refer to section 10.4.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Exposure Pattern - Workers

10C Tannin Remover Revision: 1

Acute inhalation - Local effects 10 mg/kg

Sodium carbonate

Journil Carbonate			
	Acute dermal - Local effects	12.8 mg/cm³	
	Long-term - inhalation - Local effects	5 mg/m³	
Sodium percarbonate	Long-term - dermal - Local effects	12.8 mg/cm ³	
	Long-term - inhalation - Systemic effects	6.22 mg/m³	
	Long-term - dermal - Systemic effects	1.49 mg/kg	
Disodium metasilicate			
Exposure Pattern - Gener	ral population		
	Acute inhalation - Local effects	10 mg/kg	

Exposure Pattern - General population						
Sodium carbonate	Acute inhalation - Local effects	10 mg/kg				
Sodium percarbonate	Acute dermal - Local effects Long-term - dermal - Local effects	6.4 mg/cm³				
Disodium metasilicate	Long-term - inhalation - Systemic effects Long-term - dermal - Systemic effects Long-term - oral - Systemic effects	1.55 mg/m³ 0.74 mg/kg 0.74 mg/kg				

8.2 Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Take off immediately all contaminated clothing. Avoid contact with skin and eyes. Wash hands after handling the product.

8.2.1 Appropriate engineering controls 8.2.2 Individual protection Wear chemical protective clothing. measures

Ensure adequate ventilation of the working area.

Eye / face protection Skin protection -

Hand protection

Respiratory protection

Safety glasses. (EN166) Chemical resistant gloves (PVC). (EN 374)

Not normally required. Do not breathe gas/fumes/vapour/spray.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Powder Colour White **Odour** Characteristic **pH** @1% >11.5 Melting point Not determined Freezing Point Not determined Initial boiling point Not determined Flash point Not determined Evaporation rate Not determined Flammability (solid, gas) Not determined Fat Solubility Not determined Partition coefficient Not determined Autoignition temperature Not determined Viscosity Not applicable to powders Explosive properties Not explosive

Oxidising properties Not oxidising

Solubility	Soluble in water
Vapour pressure	Not determined

9.2 Other information

Conductivity
Surface tension
Specific gravity
Not determined
Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No other adverse effects known.

10.4 Conditions to avoid

Avoid contact with: Acids.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Skin corrosion/irritation
Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity

Causes burns.

No mutagenic effects reported.

No carcinogenic effects reported.

No observed effect level.

11.1.4 Toxicological Information

11.1.4 TOXICOlogical Illionii			
	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50: NDA	
Sodium carbonate	Oral Rat LD50: 2800 mg/kg	Oral Mouse LD50 NDA	
	Dermal Rabbit LD50: >2000mg/ kg	Dermal Guinea Pig LD50: NDA	
	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50: NDA	
Sodium percarbonate	Oral Rat LD50: NDA	Oral Mouse LD50 NDA	
	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50: NDA	
	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50: NDA	
Disodium metasilicate	Oral Rat LD50: 847 mg/kg	Oral Mouse LD50 NDA	
	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50: NDA	
	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50: NDA	
Distillates (petroleum), hydrotreated light	Oral Rat LD50: NDA	Oral Mouse LD50 NDA	
	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50: NDA	

SECTION 12: Ecological information				
12.1 Toxicity				
	Algae EC50/72h:	NDA		
Sodium carbonate	Fish LC50/96h:	300 mg/l		
	Daphnia LC50/48h:	227 mg/l		
	Algae LC50/72h:	NDA		
Sodium percarbonate	Fish LC50/96h:	70.7 mg/l		
	Daphnia EC50/48h:	4.9 mg/l		
	Algae EC50/72h:	NDA		
Disodium metasilicate	Guppy LC50/96h:	NDA		

Print date: 21/07/2021

Page: 4/6

	Daphnia LC50/48h: NDA			
	Algae EC50/72h: NDA			
Distillates (petroleum), hydrotreated light	Guppy LC50/96h: NDA			
	Daphnia LC50/48h: NDA			
12.2 Persistence and degradability				
	No data is available on this product.			
12.3 Bioaccumulative poter	ntial			
	No data is available on this product.			
Partition coefficient				
	No data is available on this product.			
12.4 Mobility in soil				
	No data is available on this product.			
12.5 Results of PBT and vPvB assessment				
Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.				
12.6 Other adverse effects				
	No other adverse effects known.			

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

Disposal of packaging

Dispose of in compliance with all local and national regulations.

Empty containers can be cleaned with water.

Further information

European Waste Catalogue: 20 01 15 alkalines.

SECTION 14: Transport information

Hazard pictograms



14.1 UN number

UN3253

14.2 UN proper shipping name

DISODIUM TRIOXOSILICATE

14.3 Transport hazard class(es)

ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	-

14.4 Packing group

Packing group

14.5 Environmental hazards

Environmental hazards No Marine pollutant No

ADR/RID

Hazard ID 80 Tunnel Category E

IMDG

EmS Code F-A-S-B

IATA

Packing Instruction	864
(Cargo)	
Maximum quantity	100kg
Packing Instruction	860
(Passenger)	
Maximum quantity	5kg

SECTION 15: Regulatory information

10C Tannin Remover Revision: 1

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation(EC)No.1907/2006 REACH
- Regulation(EC)No1272/2008 CLP
- Regulation(EC)No.648/2004 Detergents regulation

Eye Dam. 1: H318 - Causes serious eye damage.

STOT SE 3: H335 - May cause respiratory irritation.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Ingredients according to EC Detergents Regulation 648/2004

15-30%: Oxygen based bleaching agents Less than 5%: Anionic surfactants

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture.

SECTION 16: Other information Other information This document differs from the previous version in the following areas:. Revision Changes to sections: NEW Acronyms LC: Lethal concentration. LD: Lethal dose. NDA - No data available. NOAEC: No observed adverse effect concentration. NOAEL: No observed adverse effect level. NOEC: No observed effect concentration. NOEL: No observed effect level. PBT: Persistent, bioaccumulative and toxic. SVHC. Substance of very high concern. vPvB. Very persistent and very bioaccumulative. *R01 - Polymer REACH number not available. Text of Hazard Statements Eye Irrit. 2: H319 - Causes serious eye irritation. Ox. Sol. 2: H272 - May intensify fire; oxidiser. in Section 3 Acute Tox. 4: H302 - Harmful if swallowed.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

Internal ref: F000047

Print date: 21/07/2021

Page: 6/6