

Companion in Hygiene Solutions

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

1D Manual Machine Dishwash Powder

Revision: 1 Revision date: 21/07/2021

	Revision date: 21/07/2021
SECTION 1: Identifica	ation of the substance/mixture and of the company/undertaking
1.1 Product identifier	
Product name	1D Manual Machine Dishwash Powder
	uses of the substance or mixture and uses advised against
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services,
FIGURE USE	craftsmen); [PC35] Washing and cleaning products (including solvent based products);
1.2 Detaile of the owned	
	lier of the safety data sheet
Company	Ionic Products Ltd
Address	Blaris Industrial Estate, Altona Road, Lisburn, Co Antrim
	BT27 5QB
Web	United Kingdom www.ionicproductsltd.com
Telephone	028 9267 3331
Email:	Info@ionicproductsltd.com
1.4 Emergency telephon	
Emergency telephone	028 9267 3331. In the event of a medical enquiry involving this product, please contact your GP or local A&E dept. Ireland: National Poisons Centre, Beaumont Hospital, Dublin 9
number	Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)
	Tel: 01 809 2566 (health care professionals)
SECTION 2: Hazards	identification
2.1 Classification of the	
2.1.2 Classification -	Skin Corr. 1A: H314; Aquatic Chronic 3: H412;
EC 1272/2008	
2.2 Label elements	
Hazard pictograms	
Signal Word	Danger
	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
Hazard Statement	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary	P273 - Avoid release to the environment.
Statement:	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Prevention	
Precautionary	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
Statement:	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	P310 -Immediately call a POISON CENTER/doctor/ .
	P363 - Wash contaminated clothing before reuse.
Precautionary	P405 - Store locked up.
Statement Storage	
Precautionary	P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or
Statement: Disposal	collection site except for empty clean containers which can be disposed of as non-hazardous
	waste.
Further information	
	Contains:. disodium metasilcate.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

EC 1272/2008

Chemical name	Index No.	CAS No.	EC No.	REACH registration Number	Conc (%w/w)	Classification
Sodium carbonate	011-005-00-2	497-19-8	207-838-8	01-2119485498-19	30-40%	Eye Irrit. 2: H319
Disodium metasilicate	014-010-00-8	6834-92-0	229-912-9	01-2119449811-37		Skin Corr. 1B: H314; STOT SE 3: H335
Troclosene sodium		51580-86-0	220-767-7	01-2119489371-33		Acute Tox. 4: H302; Eye Irrit. 2: H319; STOT SE 3: H335; Aquatic Chronic 1: H410; EUH031;

SECTION 4: First aid measures

4.1 Description of first aid measures			
Inhalation	Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.		
Eye contact	Causes burns. Causes severe inflammation and may damage the cornea. Wash with water. Seek medical attention.		
Skin contact	Causes burns. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.		
Ingestion	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.		
4.2 Most important symptoms and effects, both acute and delayed			
Inhalation	Irritant, Severe respiratory.		

Ingestion Causes severe burns.

Causes severe burns.

Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Eye contact

Skin contact

Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.		
5.2 Special hazards arising from the substance or mixture		
Corrosive. Burning produces irritating, toxic and obnoxious fumes.		
F.O.A. being from the Constraints		

5.3 Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1 Personal precautions	s, protective equipment and emergency procedures		
	Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment.		
6.2 Environmental preca	utions		
	Do not allow product to enter drains. Prevent further spillage if safe.		
6.3 Methods and materia	I for containment and cleaning up		
	Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.		
6.4 Reference to other se	ections		
	For personal protective equipment see subsection 8.2. For disposal considerations see section 13.		
SECTION 7: Handling a	and storage		
7.1 Precautions for safe	handling		
	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best manual handling considerations when handling, carrying and dispensing.		
7.2 Conditions for safe s	torage, including any incompatibilities		
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. For incompatibilities refer to section 10.4.		
7.3 Specific end use(s)			

No specific advice for end use available.

8.1 Control parameters

. ~

8.1.1 Exposure Limit Va	lues / Occupational Exposure Limits	
	Contains no applicable substances	
DNEL: Derived no-effec	t level.	
Exposure Pattern - Wor		
	Acute inhalation - Local effects	10 mg/kg
Sodium carbonate		
	Long-term - inhalation - Systemic	0.11 ma/m3
	effects	8.11 mg/m ³
Troclosene sodium	Long-term - dermal - Systemic	
	effects	2.3 mg/kg
	Long-term - inhalation - Systemic Long-term - dermal - Systemic effects	6.22 mg/m ³
Disodium metasilicate		1.49 mg/kg
Exposure Pattern - Gen		
	Acute inhalation - Local effects	10 mg/kg
Sodium carbonate		
	Long-term - inhalation - Systemic effects	1.99 mg/m³
T	Long-term - dermal - Systemic	1.15 mg/kg
Troclosene sodium	effects	
	Long-term - oral - Systemic effects	1.15 mg/kg
Disodium metasilicate	Long-term - inhalation - Systemic effects	1.55 mg/m³
	Long-term - dermal - Systemic	0.74 mg/kg
	effects	
	Long-term - oral - Systemic effects	0.74 mg/kg

8.2 Exposure controls

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Take off immediately all contaminated clothing. Avoid contact with skin and eyes. Wash hands after handling the product.
8.2.1 Appropriate	Ensure adequate ventilation of the working area.
engineering controls	
8.2.2 Individual	Wear chemical protective clothing.
protection measures	
Eye / face protection	Safety glasses. (EN166)
Skin protection -	Chemical resistant gloves (PVC). (EN 374)
Hand protection	
Respiratory protection	Not normally required. Do not breathe gas/fumes/vapour/spray.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Powder
White
Characteristic

•	@1% >11.5			
	Not determined			
	Not determined			
Initial boiling point				
Evaporation rate	Not determined			
Flammability (solid, gas)				
	Not determined			
Partition coefficient				
utoignition temperature				
	Not applicable to powders			
Explosive properties				
Oxidising properties				
	Soluble in water			
Vapour pressure	Not determined			
9.2 Other information				
	Not determined			
Surface tension				
Specific gravity	Not applicable to powders			
SECTION 40. Stability	and reactivity			
SECTION 10: Stability	and reactivity			
10.1 Reactivity				
	No reactivity hazards known under normal storage a	and use conditions.		
10.2 Chemical stability				
	Stable under normal conditions.			
10.3 Possibility of hazar	dous reactions			
	No other adverse effects known.			
10.4 Conditions to avoid				
	Avoid contact with: Acids.			
SECTION 11: Toxicold	ogical information			
11.1 Information on toxi				
Skin				
corrosion/irritation	Causes burns.			
corrosion/irritation	No mutagenic effects reported.			
Germ cell mutagenicity				
Carcinogenicity	No carcinogenic effects reported.			
Reproductive toxicity	No observed effect level.			
11.1.4 Toxicological Info	ormation			
	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50 NDA		
	Oral Rat LD50: 2800	Oral Maura L DEO: NDA		
Sodium carbonate		Oral Mouse LD50: NDA		
	Dermal Rabbit LD50: >2000mg/	Dermal Guinea Pig LD50 NDA		
		Definal Guilea Fig EDSG NDA		
	Dermal Rat LD50: >5000	Oral Rat LD50: 1671 mg/kg		
Troclosene sodium	mg/kg			
	Oral Mouse LD50: NDA Dermal Guinea Pig LD50: NDA	Dermal Rabbit LD50: NDA		
	Inhalation Rat LC50/15min: NDA	Inhalation Rat LC50/4 h: >59 mg/l Dermal Rat LD50 NDA		
Disodium metasilicate	Oral Rat LD50: 847 mg/kg	Oral Mouse LD50: NDA		
	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50 NDA		
	•			
SECTION 12: Ecologie	cal information			
12.1 Toxicity				
-	Algae EC50/72h: NDA	Daphnia LC50/48h: 227 mg/l		
Sodium carbonate	Fish LC50/96h: 300 mg/l			
	ÿ			
	Daphnia EC50/48h 0.21 mg/l			
Troclosene sodium	Fish LC50/96h 0.46 mg/l			
Disodium metasilicate	Algae EC50/72h: NDA	Daphnia LC50/48h: NDA		
Disoulum melasilicale	Guppy LC50/96h: NDA			
12.2 Persistence and de	l gradability			
12.2 Persistence and de				
	No data is available on this product.			
12.3 Bioaccumulative pe				
Deutitien fft to t	No data is available on this product.			
Partition coefficient	No data is available on this product			
40.4 Makilia h	No data is available on this product.			
12.4 Mobility in soil				

Na data in pupilable on this product		
No data is available on this product.		
12.5 Results of PBT and vPvB assessment		
Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.		
ects		
No other adverse effects known.		
al considerations		
Dispose of in compliance with all local and national regulations.		
Dispose of in compliance with all local and national regulations.		
Empty containers can be cleaned with water.		
Further information		
European Waste Catalogue: 20 01 15 alkalines.		

SECTION 14: Transport information

Hazard pictograms



14.1 UN number

	UN3253		
14.2 UN proper shipping name			
	DISODIUM TRIOXOSILICATE		
14.3 Transport hazard c	14.3 Transport hazard class(es)		
ADR/RID	8		
Subsidiary risk	-		
IMDG	8		
Subsidiary risk	-		
ΙΑΤΑ	8		
Subsidiary risk	-		
14.4 Packing group			
Packing group			
14.5 Environmental haz			
Environmental hazards	No		
Marine pollutant	No		
ADR/RID			
Hazard ID	80		
Tunnel Category	E		
IMDG			
EmS Code	F-A-S-B		
ΙΑΤΑ			
Packing Instruction	864		
(Cargo)			
Maximum quantity	100 kg		
Packing Instruction	860		
(Passenger)			
Maximum quantity	5kg		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations: • Regulation(EC)No.1907/2006 - REACH • Regulation (EC)No1272/2008 - CLP • Regulation(EC)No.648/2004 - Detergents regulation Ingredients according to EC Detergents Regulation 648/2004 5% - < 15% Phosphates, 0% - < 5% Chlorine - based bleaching agents

15.2 Chemical safety assessment

SECTION 16: Other information	
Other information	
Revision	This document differs from the previous version in the following areas:.
	Changes to sections: NEW
Acronyms	LC: Lethal concentration.
	LD: Lethal dose.
	NDA - No data available.
	NOAEC: No observed adverse effect concentration.
	NOAEL: No observed adverse effect level.
	NOEC: No observed effect concentration.
	NOEL: No observed effect level.
	PBT: Persistent, bioaccumulative and toxic.
	SVHC. Substance of very high concern.
	vPvB. Very persistent and very bioaccumulative.
	*R01 - Polymer REACH number not available.
Text of Hazard	Eye Irrit. 2: H319 - Causes serious eye irritation.
Statements in Section	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
3	STOT SE 3: H335 - May cause respiratory irritation.
	EUH031 - Contact with acids liberates toxic gas.
	Acute Tox. 4: H302 - Harmful if swallowed
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,
	storage and handling of the product. This information is correct to the best of our knowledge and
	belief at the date of publication however no guarantee is made to its accuracy. This information
	relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.
L	Internal ref: F000003