

Companion in Hygiene Solutions

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

3L Super Lemon Sinkwash

Revision: 1 Revision date: 05/05/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier					
Product name	3L Super Lemon Sinkwash				
1.2 Relevant identified use	1.2 Relevant identified uses of the substance or mixture and uses advised against				
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);				
1.3 Details of the supplier	of the safety data sheet				
Company	Ionic Products Ltd				
Address	Blaris Industrial Estate, Altona Road, Lisburn, Co Antrim				
	BT27 5QB				
	United Kingdom				
Web	www.ionicproductsltd.com				
Telephone	028 9267 3331				
Email:	Info@ionicproductsItd.com				
1.4 Emergency telephone	1.4 Emergency telephone number				
Emergency telephone	028 9267 3331. In the event of a medical enquiry involving this product, please contact your GP or local A&E dept.				
number	Ireland: National Poisons Centre, Beaumont Hospital, Dublin 9				
	Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)				
	Tel: 01 809 2566 (health care professionals)				

SECTION 2: Hazards identification

2.1.2 Classification - EC Not classified as hazardous	
1272/2008	

SECTION 3: Composition/information on ingredients

3.2 Mixtures

EC 1272/2008

Chemical name	Index No.	CAS No.	EC No.	REACH registration Number	Conc (%w/w)	Classification
Sodium alkylbenzenesulphonate		90194-45-9	290-656-6	01-2119490234-40	10-20%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318;
Alcohols, C12-14, ethoxylated, sulphates, sodium salts		68891-38-3		01-2219488639-16	1-5%	Eye Irrit. 2: H319;
Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(hydroxyethyl)		8051-30-7	931-329-6	01-2119490100-53	0 - 1%	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 2: H411;

SECTION 4: First aid measures

4.1 Description	of	first	aid	measures
-----------------	----	-------	-----	----------

4.1 Description of mist and			
Inhalation	Remove casualty from exposure ensuring one's own safety whilst doing so.		
Eye contact	Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.		
Skin contact	Wash with water. Seek medical attention if irritation or symptoms persist.		
Ingestion	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.		
4.2 Most important symptoms and effects, both acute and delayed			
Inhalation	May cause irritation to respiratory system.		
Eye contact	No irritation expected.		

I String a and a st	King South a Constant of the distance of the d	
Skin contact	No irritation expected.	
Ingestion	Unlikely to be harmful unless excessive amount ingested.	
4.3 Indication of any immed	liate medical attention and special treatment needed	
	No information available on clinical testing and medical mo can be found in section 11.	nitoring. Specific toxicological information on substances, if available,
SECTION 5: Firefighting	maasuras	
	measures	
5.1 Extinguishing media		
	Carbon dioxide (CO2). Water jet. For large fires:. Alcohol r	esistant foam. Water jet.
5.2 Special hazards arising	from the substance or mixture	
	No special hazards known.	
5.3 Advice for firefighters		
	Wear suitable respiratory equipment when necessary.	
SECTION 6: Accidental	elease measures	
6.1 Personal precautions	protective equipment and emergency procedures	
	Not normally required.	
	not normany required.	
6.2 Environmental precaut	ono	
6.2 Environmental precaut		
	Do not allow product to enter drains. Dilute with water.	
6.3 Methods and material f	or containment and cleaning up	
	plenty of water.	labelled containers for disposal. Clean spillage area thoroughly with
6.4 Reference to other sect	ions	
	For personal protective equipment see subsection 8.2. For	disposal considerations see section 13.
	-	
SECTION 7: Handling an	id storage	
7.1 Precautions for safe ha	ndling	
	Avoid contact with eyes and skin. Ensure adequate ventilation	ion of the working area. Adopt best manual handling considerations
	when handling, carrying and dispensing.	
7.2 Conditions for safe sto	rage, including any incompatibilities	
	Keep in a cool, dry, well ventilated area. Keep containers ti	ghtly closed. For incompatibilities refer to section 10.4.
7.3 Specific end use(s)		
	No energific advice for and use swellable	
	No specific advice for end use available.	
SECTION 8: Exposure c	No specific advice for end use available.	
SECTION 8: Exposure c 8.1 Control parameters DNEL: Derived no-effect le	ontrols/personal protection	
SECTION 8: Exposure c 8.1 Control parameters	ontrols/personal protection vel. s	
SECTION 8: Exposure c 8.1 Control parameters DNEL: Derived no-effect le Exposure Pattern - Worker	ontrols/personal protection vel. s Long-term - systemic effects, dermal	4,16 mg/kg bodyweight/day
SECTION 8: Exposure c 8.1 Control parameters DNEL: Derived no-effect le Exposure Pattern - Worker Amides, C8-18 (even	ontrols/personal protection vel. s Long-term - systemic effects, dermal Long-term - local effects, dermal	4,16 mg/kg bodyweight/day 0,09 mg/cm²
SECTION 8: Exposure c 8.1 Control parameters DNEL: Derived no-effect le Exposure Pattern - Worker Amides, C8-18 (even numbered)	ontrols/personal protection vel. s Long-term - systemic effects, dermal	
SECTION 8: Exposure c 8.1 Control parameters DNEL: Derived no-effect le Exposure Pattern - Worker Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(ontrols/personal protection vel. s Long-term - systemic effects, dermal Long-term - local effects, dermal	0,09 mg/cm ²
SECTION 8: Exposure c 8.1 Control parameters DNEL: Derived no-effect le Exposure Pattern - Worker Amides, C8-18 (even numbered)	ontrols/personal protection vel. s Long-term - systemic effects, dermal Long-term - local effects, dermal	0,09 mg/cm ²
SECTION 8: Exposure c 8.1 Control parameters DNEL: Derived no-effect le Exposure Pattern - Worker Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(ontrols/personal protection vel. s Long-term - systemic effects, dermal Long-term - local effects, dermal	0,09 mg/cm ²
SECTION 8: Exposure c 8.1 Control parameters DNEL: Derived no-effect le Exposure Pattern - Worker Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(ontrols/personal protection vel. s Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - systemic effects, inhalation	0,09 mg/cm ²
SECTION 8: Exposure c 8.1 Control parameters DNEL: Derived no-effect le Exposure Pattern - Worker Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(hydroxyethyl)	ontrols/personal protection vel. s Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - systemic effects, inhalation	0,09 mg/cm ²
SECTION 8: Exposure c 8.1 Control parameters DNEL: Derived no-effect le Exposure Pattern - Worker Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(hydroxyethyl)	ontrols/personal protection vel. s Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - systemic effects, inhalation I population Long-term - systemic effects, oral Long-term - systemic effects, oral Long-term - systemic effects, oral	0,09 mg/cm ² 73,4 mg/m ³
SECTION 8: Exposure c 8.1 Control parameters DNEL: Derived no-effect le Exposure Pattern - Worker Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(hydroxyethyl) Exposure Pattern - Genera	ontrols/personal protection vel. s Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - systemic effects, inhalation I population Long-term - systemic effects, oral	0,09 mg/cm ² 73,4 mg/m ³ 6,25 mg/kg bodyweight/day
SECTION 8: Exposure c 8.1 Control parameters DNEL: Derived no-effect le Exposure Pattern - Worker Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(hydroxyethyl) Exposure Pattern - Genera Amides, C8-18 (even numbered)	ontrols/personal protection vel. s Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - systemic effects, inhalation I population Long-term - systemic effects, oral Long-term - systemic effects, oral Long-term - systemic effects, oral	0,09 mg/cm ² 73,4 mg/m ³ 6,25 mg/kg bodyweight/day 21,73 mg/m ³
SECTION 8: Exposure c 8.1 Control parameters DNEL: Derived no-effect le Exposure Pattern - Worker Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(hydroxyethyl) Exposure Pattern - Genera Amides, C8-18 (even numbered)	vel. s Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - systemic effects, inhalation I population Long-term - systemic effects, oral Long-term - systemic effects, inhalation	0,09 mg/cm ² 73,4 mg/m ³ 6,25 mg/kg bodyweight/day 21,73 mg/m ³ 2,5 mg/kg bodyweight/day
SECTION 8: Exposure c 8.1 Control parameters DNEL: Derived no-effect le Exposure Pattern - Worker Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(hydroxyethyl) Exposure Pattern - Genera Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(vel. s Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - systemic effects, inhalation I population Long-term - systemic effects, oral Long-term - systemic effects, inhalation	0,09 mg/cm ² 73,4 mg/m ³ 6,25 mg/kg bodyweight/day 21,73 mg/m ³ 2,5 mg/kg bodyweight/day
SECTION 8: Exposure c 8.1 Control parameters DNEL: Derived no-effect le Exposure Pattern - Worker Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(hydroxyethyl) Exposure Pattern - Genera Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(vel. s Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - systemic effects, inhalation I population Long-term - systemic effects, oral Long-term - systemic effects, inhalation	0,09 mg/cm ² 73,4 mg/m ³ 6,25 mg/kg bodyweight/day 21,73 mg/m ³ 2,5 mg/kg bodyweight/day
SECTION 8: Exposure c 8.1 Control parameters DNEL: Derived no-effect le Exposure Pattern - Worker Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(hydroxyethyl) Exposure Pattern - Genera Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(hydroxyethyl)	ontrols/personal protection vel. s Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - systemic effects, inhalation I population Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - local effects, dermal	0,09 mg/cm ² 73,4 mg/m ³ 6,25 mg/kg bodyweight/day 21,73 mg/m ³ 2,5 mg/kg bodyweight/day
SECTION 8: Exposure c 8.1 Control parameters DNEL: Derived no-effect le Exposure Pattern - Worker Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(hydroxyethyl) Exposure Pattern - Genera Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(hydroxyethyl) 8.2 Exposure controls	ontrols/personal protection vel. s Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - systemic effects, inhalation I population Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - local effects, dermal Adopt best Manual Handling considerations when handling	0,09 mg/cm ² 73,4 mg/m ³ 6,25 mg/kg bodyweight/day 21,73 mg/m ³ 2,5 mg/kg bodyweight/day 0,056 mg/cm ²
SECTION 8: Exposure c 8.1 Control parameters DNEL: Derived no-effect le Exposure Pattern - Worker Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(hydroxyethyl) Exposure Pattern - Genera Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(hydroxyethyl) 8.2 Exposure controls	ontrols/personal protection vel. s Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - systemic effects, inhalation I population Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - local effects, dermal	0,09 mg/cm ² 73,4 mg/m ³ 6,25 mg/kg bodyweight/day 21,73 mg/m ³ 2,5 mg/kg bodyweight/day 0,056 mg/cm ²
SECTION 8: Exposure c 8.1 Control parameters DNEL: Derived no-effect le Exposure Pattern - Worker Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(hydroxyethyl) Exposure Pattern - Genera Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(hydroxyethyl) 8.2 Exposure controls 8.2.1 Appropriate engineering controls 8.2.2 Individual protection	ontrols/personal protection vel. s Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - systemic effects, inhalation I population Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - local effects, dermal Adopt best Manual Handling considerations when handling	0,09 mg/cm ² 73,4 mg/m ³ 6,25 mg/kg bodyweight/day 21,73 mg/m ³ 2,5 mg/kg bodyweight/day 0,056 mg/cm ²
SECTION 8: Exposure c 8.1 Control parameters DNEL: Derived no-effect le Exposure Pattern - Worker Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(hydroxyethyl) Exposure Pattern - Genera Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(hydroxyethyl) 8.2 Exposure controls	ontrols/personal protection vel. s Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - systemic effects, inhalation I population Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal Long-term - systemic effects, dermal Long-term - local effects, dermal Long-term - local effects, dermal Mong-term - local effects, dermal Long-term - local effects, dermal Long-term - local effects, dermal Long-term - local effects, dermal Ensure adequate ventilation of the working area.	0,09 mg/cm ² 73,4 mg/m ³ 6,25 mg/kg bodyweight/day 21,73 mg/m ³ 2,5 mg/kg bodyweight/day 0,056 mg/cm ² , carrying and dispensing. Wash hands after handling the product.

Skin protection -	Wash hands after handling the product. For prolonged contact protection for the skin may be
Hand protection	necessary. (EN374)
Respiratory protection	Not normally required. Do not breathe gas/fumes/vapour/spray.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties	
---	--

Appearance	Liquid
Colour	Yellow
Odour	Characteristic
pH	6.0 - 8.0
Melting point	Not determined
Freezing Point	Not determined
Initial boiling point	Not determined
-	Not determined
Evaporation rate	
Flammability (solid, gas)	
-	Not determined
Partition coefficient	Not determined
Autoignition temperature	Not determined
Viscosity	600 cp @20°C
Explosive properties	Not explosive
Oxidising properties	
	Soluble in water
Vapour pressure	Not determined
9.2 Other information	
Conductivity	Not determined
Surface tension	Not determined
Specific gravity	1.02 g/cm ³

SECTION 10: Stability and reactivity

10.1 Reactivity	
	No reactivity hazards known under normal storage and use conditions.
10.2 Chemical stability	
	Stable under normal conditions.
10.3 Possibility of hazardo	ous reactions
	No other adverse effects known.
10.4 Conditions to avoid	
	None.

SECTION 11: Toxicological information

11.1 Information on toxicological effects		
Skin corrosion/irritation	No irritation expected.	
Germ cell mutagenicity	No mutagenic effects reported.	
Carcinogenicity	No carcinogenic effects reported.	
Reproductive toxicity	No observed effect level.	
11 1 4 Toxicological Inform	notion	

11.1.4 Toxicological Information

-			
	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50: NDA	
Sodium alkylbenzenesulphonate	Oral Rat LD50: >2000 mg/kg	Oral Mouse LD50 NDA	
	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50: NDA	
Alcohols, C12-14, ethoxylated, sulphates, sodium salts	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50: >2000 mg/kg	
	Oral Rat LD50: 4100 mg/kg	Oral Mouse LD50 NDA	
	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50: NDA	
Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(hydroxyethyl)	LD50 oral rat > 2000 mg/kg LD50 dermal rabbit > 2000 mg/kg		

SECTION 12: Ecological information

12.1 Toxicity

Algae IC50/72h: NDA

Sodium	Fish LC50/96h:	NDA
alkylbenzenesulphonate		
	Daphnia EC50/48h:	: NDA
	Daphnia EC50/48h:	· 7.2 ma/l
Alcohols, C12-14,		
ethoxylated, sulphates,	Green algae EC50/96h	7.5mg/l
sodium salts		
	Fish LC50/96h:	: 7.1 mg/l
	LC50 fish 1	2,4 mg/l NOEC (chronic) 0,07 mg/l
Amides, C8-18 (even numbered)		
and C18- unsatd., N, Nbis(EC50 Daphnia 1	3,2 mg/l
hydroxyethyl)	ErC50 (algae)	3.9 ma/l
		5,8 mg/i
12.2 Persistence and degra		
12.3 Bioaccumulative pote	No data is available on this product	ct.
12.5 Bloaccumulative poter	No data is available on this product	ct
Partition coefficient		Gl.
	No data is available on this product	ct.
12.4 Mobility in soil	Na data in a collecto de la collecto de la	
12.5 Results of PBT and vF	No data is available on this product	ct.
		for PBT/vPvB, if any, are listed in section 3.
12.6 Other adverse effects		
	No other adverse effects known.	
SECTION 13: Disposal c	onsiderations	
General information	Dispose of in compliance with all lo	local and national regulations
Disposal of packaging		
	Dispose of in compliance with all lo	local and national regulations.
	Empty containers can be cleaned v	
Further information		
	European Waste Catalogue:. 20 01	01 30 detergents other than those mentioned in 20 01 29.
SECTION 14: Transport	information	
14.1 UN number		
	The product is not classified as dar	angerous for carriage.
14.2 UN proper shipping na		· · · ·
	The product is not classified as dar	angerous for carriage.
14.3 Transport hazard clas		
ADR/RID Subsidiary risk	The product is not classified as dar	angerous for carriage.
IMDG	The product is not classified as dar	angerous for carriage.
Subsidiary risk	-	
IATA Subsidiary risk	The product is not classified as dar	angerous for carriage.
14.4 Packing group		
Packing group	The product is not classified as dar	angerous for carriage.
14.5 Environmental hazard		
Environmental hazards	No	
Marine pollutant ADR/RID	No	
Hazard ID	-	
Tunnel Category	-	
IMDG		
EmS Code	-	
	[
Packing Instruction	-	
(Cargo) Maximum quantity	-	
Packing Instruction	-	
(Passenger)		
Maximum quantity	<u> -</u>	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Г	-	EU regulations:
		0
		Regulation(EC)No.1907/2006 - REACH
		Regulation(EC)No1272/2008 - CLP
		Regulation(EC)No.648/2004 - Detergents regulation
		Ingredients according to EC Detergents Regulation 648/2004 5 - 15%: Anionic Surfactants, Less than 5%: Non ionic surfactants, Other ingredients: Perfume, Preservatives,

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture.

Other information			
Revision	This document differs from the previous version in the following areas:.		
	Changes to sections 1, 3, 8, 9, 11, 12, 15		
Acronyms	LC: Lethal concentration.		
-	LD: Lethal dose.		
	NDA - No data available.		
	NOAEC: No observed adverse effect concentration.		
	NOAEL: No observed adverse effect level.		
	NOEC: No observed effect concentration.		
	NOEL: No observed effect level.		
	PBT: Persistent, bioaccumulative and toxic.		
	SVHC. Substance of very high concern.		
	vPvB. Very persistent and very bioaccumulative.		
	*R01 - Polymer REACH number not available.		
Text of Hazard	Acute Tox. 4: H302 - Harmful if swallowed.		
Statements in Section 3	Skin Irrit. 2: H315 - Causes skin irritation.		
	Eye Dam. 1: H318 - Causes serious eye damage.		
	Eye Irrit. 2: H319 - Causes serious eye irritation.		
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.		
Further information			
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,		
	storage and handling of the product. This information is correct to the best of our knowledge and		
	belief at the date of publication however no guarantee is made to its accuracy. This information		
	relates only to the specific material designated and may not be valid for such material used in		
	combination with any other materials or in any other process.		
	Internal ref: F000463		