



Companion in Hygiene Solutions

SAFETY DATA SHEET
according to Regulation (EU) 2015/830

5S Speed Floor Stripper

Revision: 1
Revision date: 25/05/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name	5S Speed Floor Stripper
---------------------	-------------------------

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);
--------------------	---

1.3 Details of the supplier of the safety data sheet

Company Address	Ionic Products Ltd Blaris Industrial Estate, Altona Road, Lisburn, Co Antrim BT27 5QB United Kingdom
Web	www.ionicproductsltd.com
Telephone	028 9267 3331
Email:	Info@ionicproductsltd.com

1.4 Emergency telephone number

Emergency telephone number	028 9267 3331. In the event of a medical enquiry involving this product, please contact your GP or local A&E dept. Ireland: National Poisons Centre, Beaumont Hospital, Dublin 9 Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week) Tel: 01 809 2566 (health care professionals)
-----------------------------------	--

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.2 Classification - EC 1272/2008	Skin Corr. 1A: H314;
--	----------------------

2.2 Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
Precautionary Statement: Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/ . P363 - Wash contaminated clothing before reuse.
Precautionary Statement Storage	P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Further information

	Contains: Ethanolamine
--	------------------------

SECTION 3: Composition/information on ingredients

3.2 Mixtures

EC 1272/2008

Chemical name	Index No.	CAS No.	EC No.	REACH registration Number	Conc (%w/w)	Classification
Di Methoxy Propanol ((2-methoxymethylethoxy) propanol)		34590-94-8	252-104-2	01-2119450011-60	1-10%	
2-Aminoethanol	603-030-00-8	141-43-5	205-483-3	01-2119486455-28	1-10%	Acute Tox. 4: H302; Acute Tox. 4: H312; Skin Corr. 1B: H314; Acute Tox. 4: H332; STOT SE 3: H335; Aquatic Chronic 3: H412;

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation	Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Causes burns. Causes severe inflammation and may damage the cornea. Wash with water. Seek medical attention.
Skin contact	Causes burns. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation	Irritant, Severe respiratory.
Eye contact	Causes severe burns.
Skin contact	Causes severe burns.
Ingestion	Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

	No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.
--	--

SECTION 5: Firefighting measures

5.1 Extinguishing media

	Use as appropriate: Carbon dioxide (CO ₂), Dry chemical, Foam.
--	--

5.2 Special hazards arising from the substance or mixture

	Corrosive. Burning produces irritating, toxic and obnoxious fumes.
--	--

5.3 Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	---

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment.
--	---

6.2 Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

6.3 Methods and material for containment and cleaning up

	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
--	---

6.4 Reference to other sections

	For personal protective equipment see subsection 8.2. For disposal considerations see section 13.
--	---

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best manual handling considerations when handling, carrying and dispensing.
--	--

7.2 Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. For incompatibilities refer to section 10.4.
--	---

7.3 Specific end use(s)

	No specific advice for end use available.
--	---

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.1.1 Exposure Limit Values - UK

Di Methoxy Propanol (2-methoxymethylethoxy propanol)	WEL 8-hr limit mg/m3: 308 WEL 8-hr limit ppm: 50
2-Aminoethanol	WEL 8-hr limit ppm: 1 WEL 15 min limit ppm: 3 WEL 8-hr limit mg/m3: 2.5 WEL 15 min limit mg/m3: 7.6

8.1.1 Occupational Exposure Limits Values (OELVs) - Ireland

Di Methoxy Propanol (2-methoxymethylethoxy propanol)	Occupational Exposure Limit Value (8-hour reference period)	50 ppm 308 mg/m3
	Occupational Exposure Limit Value (15-minute reference period)	-
2-Aminoethanol	Occupational Exposure Limit Value (8-hour reference period)	1 ppm 2.5 mg/m3
	Occupational Exposure Limit Value (15-minute reference period)	3 ppm 7.6 mg/m3

DNEL: Derived no-effect level.



Exposure Pattern - Workers

2-Aminoethanol	Long-term - inhalation - Systemic effects	3.3 mg/m ³
	Long-term - inhalation - Local effects	3.3 mg/m ³
	Long-term - oral - Systemic effects	1 mg/kg

Exposure Pattern - General population

2-Aminoethanol	Long-term - inhalation - Systemic effects	2 mg/m ³
	Long-term - inhalation - Local effects	2 mg/m ³
	Long-term - oral - Systemic effects	3.75 mg/kg
	Long-term - dermal - Systemic effects	0.24 mg/kg

8.2 Exposure controls

	 
8.2.1 Appropriate engineering controls	Adopt best Manual Handling considerations when handling, carrying and dispensing. Take off immediately all contaminated clothing. Avoid contact with skin and eyes. Wash hands after handling the product.
8.2.2 Individual protection measures	Ensure adequate ventilation of the working area.
Eye / face protection	Wear chemical protective clothing.
Skin protection -	Safety glasses. (EN166)
Hand protection	Chemical resistant gloves (PVC). (EN 374)
Respiratory protection	Not normally required. Do not breathe gas/fumes/vapour/spray.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Liquid
Colour	Blue
Odour	Characteristic
pH	>11.5
Melting point	Not determined
Freezing Point	Not determined
Initial boiling point	Not determined
Flash point	Not determined
Evaporation rate	Not determined
Flammability (solid, gas)	Not applicable to liquids
Fat Solubility	Not determined
Partition coefficient	Not determined

Autoignition temperature	Not determined
Viscosity	<100cp @20°C
Explosive properties	Not explosive
Oxidising properties	Not oxidising
Solubility	Soluble in water
Vapour pressure	Not determined

9.2 Other information

Conductivity	Not determined
Surface tension	Not determined
Specific gravity	1.01 g/cm ³

SECTION 10: Stability and reactivity

10.1 Reactivity

	No reactivity hazards known under normal storage and use conditions.
--	--

10.2 Chemical stability

	Stable under normal conditions.
--	---------------------------------

10.3 Possibility of hazardous reactions

	No other adverse effects known.
--	---------------------------------

10.4 Conditions to avoid

	Avoid contact with: Acids.
--	----------------------------

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Skin corrosion/irritation	Causes burns.
Germ cell mutagenicity	No mutagenic effects reported.
Carcinogenicity	No carcinogenic effects reported.
Reproductive toxicity	No observed effect level.

11.1.4 Toxicological Information

Di Methoxy Propanol (2-methoxymethylethoxy propanol)	Oral Rat LD50: >4000 mg/kg (oral rat)	
	Dermal Rabbit LD50: 9510 mg/kg	
	Inhalation Rat LC50/15min: 3.35 mg/l	
2-Aminoethanol	Inhalation Rat LC50/1.3 mg/l h: 6	Dermal Rat LD50 NDA
	Oral Rat LD50: 1515 mg/kg	Oral Mouse LD50: NDA
	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50 NDA

SECTION 12: Ecological information

12.1 Toxicity

Di Methoxy Propanol (2-methoxymethylethoxy propanol)	Fish LC50/96h: 10,000 mg/l
	Daphnia EC50/48h: 1,919 mg/l
	Algae LC50/72h: 1,000 mg/l
2-Aminoethanol	Daphnia EC50/48h: 65.0000 mg/l
	Fish LC50/96h: 170 mg/l
	Algae EC50/72h: 22 mg/l

12.2 Persistence and degradability

	No data is available on this product.
--	---------------------------------------

12.3 Bioaccumulative potential

	No data is available on this product.
--	---------------------------------------

Partition coefficient

	No data is available on this product.
--	---------------------------------------

12.4 Mobility in soil

	No data is available on this product.
--	---------------------------------------

12.5 Results of PBT and vPvB assessment

	Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.
--	---

12.6 Other adverse effects

	No other adverse effects known.
--	---------------------------------

SECTION 13: Disposal considerations

General information

	Dispose of in compliance with all local and national regulations.
--	---

Disposal of packaging

	Dispose of in compliance with all local and national regulations. Empty containers can be cleaned with water.
--	--

Further information

	European Waste Catalogue: 20 01 15 alkalines.
--	---

SECTION 14: Transport information

Hazard pictograms



14.1 UN number

	UN1760
--	--------

14.2 UN proper shipping name

	CORROSIVE LIQUID, N.O.S. ((ETHANOLAMINE, DISODIUM TRIOXOSILICATE))
--	--

14.3 Transport hazard class(es)

ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	-

14.4 Packing group

Packing group	III
---------------	-----

14.5 Environmental hazards

Environmental hazards	No
Marine pollutant	No

ADR/RID

Hazard ID	80
Tunnel Category	E

IMDG

EmS Code	F-A-S-B
----------	---------

IATA

Packing Instruction (Cargo)	856
Maximum quantity	60L
Packing Instruction (Passenger)	852
Maximum quantity	5L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

	EU regulations: <ul style="list-style-type: none">• Regulation(EC)No.1907/2006 - REACH• Regulation(EC)No1272/2008 - CLP• Regulation(EC)No.648/2004 - Detergents regulation Ingredients according to EC Detergents Regulation 648/2004 Less than 5%: Phosphonates, Anionic Surfactants
--	--

15.2 Chemical safety assessment

	A chemical safety assessment has not been carried out on the mixture.
--	---

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas: Changes to sections 1, 3, 8, 9, 11, 12, 15
Acronyms	LC: Lethal concentration. LD: Lethal dose. NDA - No data available. NOAEC: No observed adverse effect concentration.

Text of Hazard Statements in Section 3	<p>NOAEL: No observed adverse effect level. NOEC: No observed effect concentration. NOEL: No observed effect level. PBT: Persistent, bioaccumulative and toxic. SVHC. Substance of very high concern. vPvB. Very persistent and very bioaccumulative. *R01 - Polymer REACH number not available. Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H312 - Harmful in contact with skin. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Acute Tox. 4: H332 - Harmful if inhaled. STOT SE 3: H335 - May cause respiratory irritation.</p>
---	---

Further information

	<p>The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.</p> <p>Internal ref: F000030</p>
--	--