

#### **SAFETY DATA SHEET**

according to Regulation (EU) 2015/830

# 5XD Concentrated Degreaser

Revision: 1

Revision date: 25/06/2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name 5XD Concentrated Degreaser

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product Use** [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);

#### 1.3 Details of the supplier of the safety data sheet

Ionic Products Ltd Company

Address Blaris Industrial Estate, Altona Road, Lisburn, Co Antrim

> BT27 50B United Kingdom

Web www.ionicproductsltd.com

Telephone 028 9267 3331 Info@ionicproductsltd.com

### Email: 1.4 Emergency telephone number

**Emergency telephone** 

number

028 9267 3331. In the event of a medical enquiry involving this product, please contact your GP or local A&E dept.

Ireland: National Poisons Centre, Beaumont Hospital, Dublin 9 Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)

Tel: 01 809 2566 (health care professionals)

#### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

2.1.2 Classification - EC

1272/2008

Skin Corr. 1A: H314;

# 2.2 Label elements

### Hazard pictograms



Signal Word

**Hazard Statement** 

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

**Precautionary Statement:** 

Prevention

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

**Precautionary Statement:** Response

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 -Immediately call a POISON CENTER/doctor/. P363 - Wash contaminated clothing before reuse.

Precautionary **Statement Storage**  P405 - Store locked up.

Precautionary Statement: Disposal

P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous

**Further information** 

Contains:. 2-aminoethanol.

#### **SECTION 3: Composition/information on ingredients**

3.2 Mixtures

EC 1272/2008

Print date: 03/07/2020

5XD Concentrated Degreaser Revision: 1

Page: 1/7

Chemical name	Index No.	CAS No.	EC No.	REACH registration	Conc (%w/w)	Classification
				Number	(70W/W)	
Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis( hydroxyethyl)		8051-30-7	931-329-6	01-2119490100-53	1-10%	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 2: H411;
2-Aminoethanol	603-030-00-8	141-43-5	205-483-3	01-2119486455-28	1-10%	Acute Tox. 4: H302; Acute Tox. 4: H312; Skin Corr. 1B: H314; Acute Tox. 4: H332; STOT SE 3: H335; Aquatic Chronic 3: H412;
Sulfonic acids, C14-16-alkane hydroxy and C14- 16-alkene, sodium salts		68439-57-6	270-407-8	01-2119513401-57	1-10%	Skin Irrit. 2: H315; Eye Dam. 1: H318;
Di Methoxy Propanol ((2-methoxymethylethoxy) propanol)		34590-94-8	252-104-2	01-2119450011-60	1-10%	
Tetrasodium (1-hydroxyethylidene) bisphosphonate		3794-83-0	223-267-7	01-2119647955-23	1-10%	Skin Irrit. 2: H315; Eye Irrit. 2: H319;

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Inhalation	Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Causes burns. Causes severe inflammation and may damage the cornea. Wash with water. Seek medical attention.
Skin contact	Causes burns. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

#### 4.2 Most important symptoms and effects, both acute and delayed

Inhalation	Irritant, Severe respiratory.
Eye contact	Causes severe burns.
Skin contact	Causes severe burns.
Ingestion	Causes severe burns.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.

### 5.2 Special hazards arising from the substance or mixture

Corrosive. Burning produces irritating, toxic and obnoxious fumes.

### 5.3 Advice for firefighters

Wear suitable respiratory equipment when necessary.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment.

# 6.2 Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

#### 6.3 Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best manual handling considerations when handling, carrying and dispensing.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. For incompatibilities refer to section 10.4.

No specific advice for end use available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### 8.1.1 Exposure Limit Values - UK

o. i. i Exposure Lillit value	on the second se
	WEL 8-hr limit ppm: 1
	WEL 15 min limit ppm: 3
2-Aminoethanol	WEL 8-hr limit mg/m3: 2.5
	WEL 15 min limit mg/m3: 7.6
	WEL 8-hr limit mg/m3: 308
Di Methoxy Propanol ((2-methoxymethylethoxy) propanol)	WEL 8-hr limit ppm: 50

#### 8.1.1 Occupational Exposure Limits Values (OELVs) - Ireland

	•	,	
	2-Aminoethanol	Occupational Exposure Limit Value (8-hour	1 ppm
		reference period)	2.5 mg/m3
		Occupational Exposure Limit Value (15-	3 ppm
		minute reference period)	7.6 mg/m3
	Di Methoxy Propanol ((2-methoxymethylethoxy)	Occupational Exposure Limit Value (8-hour	50 ppm
		reference period)	308 mg/m3
		Occupational Exposure Limit Value (15-	
		minute reference period)	-

# DNEL: Derived no-effect level.

### **Exposure Pattern - Workers**

	Long-term - systemic effects, dermal	4,16 mg/kg bodyweight/day
Amides, C8-18 (even	Long-term - local effects, dermal	0,09 mg/cm <sup>2</sup>
numbered)	Long-term - systemic effects, inhalation	73,4 mg/m³
and C18- unsatd., N, Nbis(		
hydroxyethyl)		
	Long-term - inhalation - Systemic effects	3.3 mg/m³
	Long-term - inhalation - Local effects	3.3 mg/m³
2-Aminoethanol	Long-term - oral - Systemic effects	1 mg/kg
2-Aminoethanoi		

### **Exposure Pattern - General population**

	Long-term - systemic effects,oral	6,25 mg/kg bodyweight/day	
Amides, C8-18 (even Long-term - systemic effects, inhalation		21,73 mg/m³	
numbered)	Long-term - systemic effects, dermal	2,5 mg/kg bodyweight/day	
and C18- unsatd., N, Nbis(	Long-term - local effects, dermal	0,056 mg/cm <sup>2</sup>	
hydroxyethyl)			
	Long-term - inhalation - Systemic effects	2 mg/m³	
	Long-term - inhalation - Local effects	2 mg/m³	
2-Aminoethanol	Long-term - oral - Systemic effects	3.75 mg/kg	
	Long-term - dermal - Systemic effects	0.24 mg/kg	

### 8.2 Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Take off immediately all contaminated clothing. Avoid contact with skin and eyes. Wash hands after handling the product.

8.2.1 Appropriate engineering controls

Ensure adequate ventilation of the working area.

8.2.2 Individual protection
measures
Eye / face protection
Skin protection Hand protection
Respiratory protection

Wear chemical protective clothing.

Safety glasses. (EN166)
Chemical resistant gloves (PVC). (EN 374)

Not normally required. Do not breathe gas/fumes/vapour/spray.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance Liquid Colour Yellow **Odour** Characteristic **pH** >11.5 Melting point Not determined Freezing Point Not determined Initial boiling point Not determined Flash point Not determined Evaporation rate Not determined Flammability (solid, gas) Not applicable to liquids Fat Solubility Not determined Partition coefficient Not determined Autoignition temperature Not determined Viscosity <100 cp @20°C @4% Explosive properties Not explosive Oxidising properties Not oxidising

Solubility Soluble in water Vapour pressure Not determined

#### 9.2 Other information

Conductivity
Not determined
Surface tension
Specific gravity
1.02 g/cm³

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

### 10.2 Chemical stability

Stable under normal conditions

# 10.3 Possibility of hazardous reactions

No other adverse effects known.

# 10.4 Conditions to avoid

Avoid contact with: Acids.

#### **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Skin corrosion/irritation
Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity

Causes burns.
No mutagenic effects reported.
No carcinogenic effects reported.
No observed effect level.

### 11.1.4 Toxicological Information

Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis( hydroxyethyl)	LD50 oral rat LD50 dermal rabbit	> 2000 mg/kg > 2000 mg/kg	
	Inhalation Rat LC50/1.3 mg/l h:	6	Dermal Rat LD50 NDA
2-Aminoethanol	Oral Rat LD50:	1515 mg/kg	Oral Mouse LD50: NDA
	Dermal Rabbit LD50:	NDA	Dermal Guinea Pig LD50 NDA
	Inhalation Rat LC50/>52h:	4	Dermal Rat LD50: NDA
Sulfonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts	Oral Rat LD50:	6034 to 13500 mg/kg	Oral Mouse LD50 NDA
	Dermal Rabbit LD50:	NDA	Dermal Guinea Pig LD50: NDA

Di Methoxy Propanol ((2-methoxymethylethoxy) propanol)	>4000 Oral Rat LD50: mg/kg (oral rat)  Dermal Rabbit LD50: mg/kg Inhalation Rat LC50/15min: 3.35 mg/l		
	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50: NDA	
Tetrasodium (1- hydroxyethylidene) bisphosphonate	Oral Rat LD50: NDA	Oral Mouse LD50 NDA	
Displiospholiate	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50: NDA	

SECTION 12: Ecological information				
12.1 Toxicity				
Amides, C8-18 (even numbered) and C18- unsatd., N, Nbis(	LC50 fish 1	2,4 mg/l	NOEC (chronic)	0,07 mg/l
	EC50 Daphnia 1	3,2 mg/l		
hydroxyethyl)	ErC50 (algae)	3,9 mg/l		
	Daphnia EC50/48h:	65.0000 mg/l		
2-Aminoethanol	Fish LC50/96h:	170 mg/l		
	Algae EC50/72h:	22 mg/l		
Sulfonic acids, C14-16-	Daphnia EC50/48h:	4.5300 mg/l		
alkane hydroxy and C14- 16-alkene, sodium salts	Fish LC50/96h:	4.2000 mg/l		
	Algae EC50/72h:	5.2 mg/l		
Di Methoxy Propanol	Fish LC50/96h:	10,000 mg/l		
((2-methoxymethylethoxy) propanol)	Daphnia EC50/48h:	1,919 mg/l		
propulsely	Algae LC50/72h:	1,000 mg/l		
Tetrasodium (1- hydroxyethylidene) bisphosphonate	Algae EC50/72h:	NDA		
	Guppy LC50/96h:	NDA		
	Daphnia LC50/48h:	NDA		

## 12.2 Persistence and degradability

No data is available on this product.

### 12.3 Bioaccumulative potential

No data is available on this product.

# Partition coefficient

No data is available on this product.

### 12.4 Mobility in soil

No data is available on this product.

#### 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

# 12.6 Other adverse effects

No other adverse effects known.

## **SECTION 13: Disposal considerations**

#### **General information**

Dispose of in compliance with all local and national regulations.

### Disposal of packaging

Dispose of in compliance with all local and national regulations.

Empty containers can be cleaned with water.

### **Further information**

European Waste Catalogue: 20 01 15 alkalines.

### **SECTION 14: Transport information**

## Hazard pictograms



#### 14.1 UN number

UN2491

#### 14.2 UN proper shipping name

ETHANOLAMINE, SOLUTION

## 14.3 Transport hazard class(es)

ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	_

## 14.4 Packing group

Packing group	III

#### 14.5 Environmental hazards

Environmental hazards	No
Marine pollutant	No

#### ADR/RID

Hazard ID	80
Tunnel Category	l F

### **IMDG**

<b>EmS</b>	Code	F-A-S-B

#### IATA

Packing Instruction	856
(Cargo)	
Maximum quantity	60L
Packing Instruction	852
(Passenger)	
Maximum quantity	5L

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

 Regulation(EC)No.1907/2006 - REACH • Regulation(EC)No1272/2008 - CLP

Regulation(EC)No.648/2004 - Detergents regulation

Ingredients according to EC Detergents Regulation 648/2004

5 - 15%: Non ionic surfactants

EU regulations:

Less than 5%: Anionic Surfactants, Phosphonates

Eye Dam. 1: H318 - Causes serious eye damage.

Other ingredients: Perfume, Preservatives

### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture.

# **SECTION 16: Other information**

in Section 3

Other information	
Revision	This document differs from the previous version in the following areas:.
	Changes to sections 1, 3, 8, 9, 11, 12, 15
Acronyms	LC: Lethal concentration.
-	LD: Lethal dose.
	NDA - No data available.
	NOAEC: No observed adverse effect concentration.
	NOAEL: No observed adverse effect level.
	NOEC: No observed effect concentration.
	NOEL: No observed effect level.
	PBT: Persistent, bioaccumulative and toxic.
	SVHC. Substance of very high concern.
	vPvB. Very persistent and very bioaccumulative.
	*R01 - Polymer REACH number not available.

Print date: 03/07/2020

**Text of Hazard Statements** Skin Irrit. 2: H315 - Causes skin irritation.

STOT SE 3: H335 - May cause respiratory irritation.  Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.  Eye Irrit. 2: H319 - Causes serious eye irritation.

#### Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

Internal ref: F000087

Print date: 03/07/2020

Page: 7/7