

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

F01 Alkaline Foam Cleaner

Revision: 1

Revision date: 01/07/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name F01 Alkaline Foam Cleaner

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);

1.3 Details of the supplier of the safety data sheet

Company Ionic Products Ltd

Address Blaris Industrial Estate, Altona Road, Lisburn, Co Antrim

BT27 5QB United Kingdom

Web www.ionicproductsltd.com

Telephone 028 9267 3331

Email: lnfo@ionicproductsltd.com

1.4 Emergency telephone number

Emergency telephone

028 9267 3331. In the event of a medical enquiry involving this product, please contact your GP or local A&E dept.

Ireland: National Poisons Centre, Beaumont Hospital, Dublin 9 Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)

Tel: 01 809 2566 (health care professionals)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.2 Classification - EC	2.1.2	Classification - EC
---------------------------	-------	---------------------

1272/2008

number

Skin Corr. 1A: H314;

2.2 Label elements

Hazard pictograms



Signal Word

Danger

Hazard Statement

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement:

Prevention

Response

Precautionary Statement:

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/ .

P363 - Wash contaminated clothing before reuse.

Precautionary

P405 - Store locked up.

Statement Storage

Precautionary Statement: Disposal

P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or

collection site except for empty clean containers which can be disposed of as non-hazardous

waste.

Further information

Contains:. disodium metasilcate.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

EC 1272/2008

Chemical name	Index No.	CAS No.	EC No.	REACH registration Number	Conc (%w/w)	Classification
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts		68439-57-6	270-407-8	01-2119513401-57	1_10%	Skin Irrit. 2: H315; Eye Dam. 1: H318;
Amines, C12-14 (even numbered) - alkyldimethyl, N-oxides			931-292-6	01-2119490061-47	1-10%	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Acute 1: H400;
Sodium xylenesulphonate		1300-72-7	215-090-9	01-2119513350-56	1-10%	Eye Irrit. 2: H319;
Disodium metasilicate	014-010-00-8	6834-92-0	229-912-9	01-2119449811-37	1-10%	Skin Corr. 1B: H314; STOT SE 3: H335

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation	Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Causes burns. Causes severe inflammation and may damage the cornea. Wash with water. Seek medical attention.
Skin contact	Causes burns. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation	Irritant, Severe respiratory.
Eye contact	Causes severe burns.
Skin contact	Causes severe burns.
Ingestion	Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

Corrosive. Burning produces irritating, toxic and obnoxious fumes.

5.3 Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment.

6.2 Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3 Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best manual handling considerations when handling, carrying and dispensing.

7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. For incompatibilities refer to section 10.4.

7.3 Specific end use(s)

	No specific advice for end use available.
--	---

Print date: 01/07/2020

F01 Alkaline Foam Cleaner Revision: 1

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL: Derived no-effect level.

Exposure Pattern - Workers

Exposure rattern Worker	·		
	Long-term - inhalation - Systemic effects	53.6 mg/m³	
	Long-term - dermal - Systemic effects	7.6 mg/kg	
Sodium xylenesulphonate			
	Long-term - inhalation - Systemic effects	6.22 mg/m³	
	Long-term - dermal - Systemic effects	1.49 mg/kg	
		5 5	
Disodium metasilicate			

Exposure Pattern - General population

Exposure Fattern - Genera	i population		
	Long-term - inhalation - Systemic effects	13.2 mg/m³	
	Long-term - dermal - Systemic effects	3.8 mg/kg	
Sodium xylenesulphonate	Long-term - oral - Systemic effects	3.8 mg/kg	
	Long-term - inhalation - Systemic effects	1.55 mg/m³	
	Long-term - dermal - Systemic effects	0.74 mg/kg	
Disodium metasilicate	Long-term - oral - Systemic effects	0.74 mg/kg	

8.2 Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Take off immediately all contaminated clothing. Avoid contact with skin and eyes. Wash hands after handling the product.

8.2.1 Appropriate engineering controls 8.2.2 Individual protection

Ensure adequate ventilation of the working area.

measures

Wear chemical protective clothing.

Eye / face protection Skin protection -Hand protection

Safety glasses. (EN166)

Chemical resistant gloves (PVC). (EN 374)

Not normally required. Do not breathe gas/fumes/vapour/spray. Respiratory protection

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	, ,
Appearance	Liquid
Colour	Colourless
Odour	Characteristic
pH	>12
Melting point	Not determined
Freezing Point	Not determined
Initial boiling point	Not determined
Flash point	Not determined
Evaporation rate	Not determined
Flammability (solid, gas)	Not applicable to liquids
Fat Solubility	Not determined
Partition coefficient	Not determined
Autoignition temperature	Not determined
Viscosity	<100 cp @20°C
Explosive properties	Not explosive
Oxidising properties	Not oxidising
Solubility	Soluble in water
Vapour pressure	Not determined
9.2 Other information	

9.2 Other information

Print date: 01/07/2020

Page: 3/6

Conductivity	Not determined
Surface tension	Not determined
Specific gravity	1.05 g/cm ³

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No other adverse effects known.

10.4 Conditions to avoid

Avoid contact with: Acids.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Skin corrosion/irritation	Causes burns.
Germ cell mutagenicity	No mutagenic effects reported.
Carcinogenicity	No carcinogenic effects reported.
Reproductive toxicity	No observed effect level.

11.1.4 Toxicological Information

	Inhalation Rat LC50/>52h: 4	Dermal Rat LD50: NDA
Sulfonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts	6034 to Oral Rat LD50: 13500 mg/kg	Oral Mouse LD50 NDA
	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50: NDA
	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50: NDA
Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides	Oral Rat LD50: 1064 mg/kg	Oral Mouse LD50 NDA
	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50: NDA
Sodium xylenesulphonate	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50: NDA
	Oral Rat LD50: NDA	Oral Mouse LD50 >7000mg/kg
	Dermal Rabbit LD50: >200 mg/kg	Dermal Guinea Pig LD50: NDA
Disodium metasilicate	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50: NDA
	Oral Rat LD50: 847 mg/kg	Oral Mouse LD50 NDA
	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50: NDA

SECTION 12: Ecological information			
12.1 Toxicity			
0.46	Daphnia EC50/48h:	4.5300 mg/l	
Sulfonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts	Fish LC50/96h:	4.2000 mg/l	
To alkerie, socialii saits	Algae EC50/72h:	5.2 mg/l	
Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides	Daphnia EC50/48h:	3.1000 mg/l	
	Fish LC50/96h:	2.6700 mg/l	
	Algae EC50/72h:	0.1430 mg/l	
Sodium xylenesulphonate	Algae EC50/72h: 3	310mg/ml	
	Guppy LC50/96h: >	>1000mg/ ml	
	Daphnia LC50/48h:	40.3000 mg/l	

Algae EC50/72h: NDA Disodium metasilicate Guppy LC50/96h: NDA Daphnia LC50/48h: NDA 12.2 Persistence and degradability No data is available on this product. 12.3 Bioaccumulative potential No data is available on this product. Partition coefficient No data is available on this product. 12.4 Mobility in soil No data is available on this product. 12.5 Results of PBT and vPvB assessment Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3. 12.6 Other adverse effects No other adverse effects known. **SECTION 13: Disposal considerations General information** Dispose of in compliance with all local and national regulations. Disposal of packaging Dispose of in compliance with all local and national regulations. Empty containers can be cleaned with water. **Further information** European Waste Catalogue: 20 01 15 alkalines. **SECTION 14: Transport information** Hazard pictograms 14.1 UN number UN1719 14.2 UN proper shipping name CAUSTIC ALKALI LIQUID, N.O.S. ((DISODIUM TRIOXOSILICATE)) 14.3 Transport hazard class(es) ADR/RID Subsidiary risk 8 **IMDG** Subsidiary risk 8 IATA Subsidiary risk 14.4 Packing group Ш Packing group 14.5 Environmental hazards **Environmental hazards** No Marine pollutant No ADR/RID Hazard ID 80 **Tunnel Category** Ε IMDG **EmS Code** F-A-S-B IATA **Packing Instruction** 856 (Cargo) 60L **Maximum quantity Packing Instruction** 852 (Passenger) 5L **Maximum quantity**

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation(EC)No.1907/2006 REACH
- Regulation(EC)No1272/2008 CLP
- Regulation(EC)No.648/2004 Detergents regulation

Ingredients according to EC Detergents Regulation 648/2004

5 - 15%: Anionic Surfactants Less than 5%: Non ionic surfactants

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture.

SECTION 16: Other information

Other information

Revision This document differs from the previous version in the following areas:.

Changes to sections 1, 3, 8, 9, 11, 12, 15

Acronyms LC: Lethal concentration.

LD: Lethal dose.

NDA - No data available.

NOAEC: No observed adverse effect concentration.

NOAEL: No observed adverse effect level. NOEC: No observed effect concentration.

NOEL: No observed effect level.

PBT: Persistent, bioaccumulative and toxic. SVHC. Substance of very high concern. vPvB. Very persistent and very bioaccumulative.

νPvB. Very persistent and very bioaccumulative.*R01 - Polymer REACH number not available.

Text of Hazard

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Statements in Section 3

Skin Irrit. 2: H315 - Causes skin irritation.

Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H335 - May cause respiratory irritation. Aquatic Acute 1: H400 - Very toxic to aquatic life.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

Internal ref: F000236